# COACHMEN FREELANDER



















### **KEY FEATURES**

- Residential Queen Beds (60" x 80")
   King Size Bed (72" x 80" on 29KB)
   (N/A on 22XG)
- Large Cab-Over Area with Cup Holders, Storage & USB's (57" x 95" total)
- 15,000 BTU A/C with Heat Pump • Optional Rear 11k BTU A/C (N/A on 22XG, 23FS, 27QB)
- Dual-Swing Door Refrigerator 12-volt,
   10 Cu. Ft.
- CRV SuperSpring Ride Self-adjusting Rear Helper Spring (N/A on 22XG & 27QB)
- On-Demand Tankless Water Heater & AquaView SHOWERMI\$ER
- 20% More Fresh Water Capacity on Average Then Competition
- Max-Length Power Patio Awning with LED Light Strip
- AlphaPly Seamless 1-Piece Roof Material (Lifetime Warranty)
- Solar Panel Ports at Sidewall & Roof
   Optional 200-watt Panel
- Azdel Composite Sidewall & Cabover Floor Construction



#### FREELANDER SPECIFICATIONS

MODEL	21QSS	21RSS	22XG	23FS	26DS	26MB	27QB	29KB	31MB
Chassis***	FORD 350/	FORD E350/	FORD E450/ CHEVY 3500	FORD E450/ CHEVY 3500	FORD E450	FORD E450	FORD E450/ CHEVY 3500	FORD E450	FORD E450
Engine	V8-7.3L	V8-7.3L	V8-7.3L/V8-6.6L	V8-7.3L/V8-6.6L	V8-7.3L	V8-7.3L	V8-7.3L/V8-6.6L	V8-7.3L	V8-7.3L
Horse Power	325	325	325/401	325/401	325	325	325/401	325	325
Torque	450	450	450/464	450/464	450	450	450/464	450	450
Wheel Base	158"	158"	158"/157"	176"/177"	190"	190"	190"/191"	202"	223"
GVWR (lbs.)	12,500	12,500	14,500/ 12,300	14,500/ 12,300	14,500	14,500	14,500/ 12,300	14,500	14,500
GCWR (lbs.)	18,500	18,500	22,000/ 20,000	22,000/ 20,000	22,000	22,000	22,000/ 20,000	22,000	22,000
UVW (approx. lbs.)	TBD	TBD	9,600	10,800	11,330	11,725	10,294	11,800	11,680
CCC (approx. lbs.)	TBD	TBD	4,900/2,700	3,700/1,500	3,170	2,775	4,206/2,006	2,700	2,820
GAWR Front (lbs.)	5,000	5,000	5,000/4,300	5,000/4,300	5,000	5,000	5,000/4,300	5,000	5,000
GAWR Rear (lbs.)	8,500	8,500	9,600/8,600	9,600/8,600	9,600	9,600	9,600/8,600	9,600	9,600
Interior Height	6′ 11″	6′ 11″	6′ 11″	6′ 11″	6′ 11″	6′ 6″	6′ 11″	6′ 11″	6′ 11″
Exterior Width	8′ 4″	8′ 4″	8′ 4″	8' 4"	8′ 4″	8′ 4″	8′ 4″	8' 4"	8' 4"
Exterior Height (with A/C)	10′ 10″	10′ 10″	10′ 10″	10′ 10″	10′ 11″	10′ 11″	10′ 11″	10′ 11″	10′ 11″
Exterior Length (with Bumper)	23′ 11″	24′ 3″	24′ 3″/24′ 9″	26' 0"/26' 6"	27′ 5″	28′ 6″	29′ 6″/30′ 0″	30′ 5″	32′ 11″
Tow Capacity (lbs.)	5,000	5,000	7,500	7,500	7,500	7,500	7,500	7,500	7,500
Fuel Capacity (gal.)	55	55	55/57	55/57	55	55	55/57	55	55
LP Capacity (lbs.)	68	68	68	68	68	68	68	68	68
Fresh Water Capacity (gal.)	41	43	41	43	50	49	40	48	50
Water Heater Capacity (gal.)	TANKLESS	TANKLESS	TANKLESS	TANKLESS	TANKLESS	TANKLESS	TANKLESS	TANKLESS	TANKLESS
Grey Tank Capacity (gal.)	28	28	28	31	31	32	31	34	32
Black Tank Capacity (gal.)	22	31	31	31	31	32	31	31	29
Exterior Storage (cu. ft.)	75	55	38	40	60	60	69	80	100
Awning Length	15′	15′	15′	17′	18′	19'	20′	21′	21′

**GVWR (Gross Vehicle Weight Rating)** is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

**GCWR (Gross Combined Weight Rating)** is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail.

GAWR (Gross Axle Weight Rating) is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely

**UVW (Unloaded Vehicle Weight)\*** is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fuel, all fluids and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

\*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)\*\* is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR hinus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

\*\* Estimated average based on standard build optional equipment

Each Coachmen motorhome is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Coachmen motorhome prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Coachmen reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Coachmen dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. 9/24

©Copyright 2024 Coachmen RV a Division of Forest River Inc - All Rights Reserved

#### **FEATURED STANDALONE OPTIONS**

Driver/Passenger Swivel Seats (N/A 27QB)

Solid Surface Kitchen Counters (N/A 22XG, 23FS, 27QB)

200W Roof Solar Panel w/Dual AGM Batteries

Auto Generator Start

Equalizer Stabilizer Jacks (N/A 22XG)

Hydraulic Leveling Jacks (N/A 22XG)

Bedroom 12-Volt TV (N/A 22XG, 23FS, 27QB)

\* Additional Options Available - See Website for Details

## ESCALADE PACKAGE - OPTIONAL (N/A on Chevy Chassis)

Heated Mirrors, Dual Batteries, 4G/WiFi Booster, Convection Oven, Kitchen Faucet with Spray Head, Child Safety Net in Cabover, Cab Over and Bedroom Power Vent Fan with Maxxair Cover, Upgraded Running Boards, Leatherette Cockpit Seat Covers, Side View Cameras



## Learn More:

Scan this barcode using a QR reader on your smart phone to learn more about Forest River.







423 N. Main Street • P.O. Box 30 Middlebury, IN 46540

To learn more about Coachmen RV and our products and see how Coachmen is making the easy life easier, call us toll free at

(800) 353-7383, or visit www.coachmenrv.com

#### FREELANDER SPECIFICATIONS

MODEL	21QS	21RS	22XG	23FS	26DS	26MB	27QB	29KB	31MB
Chassis***			FORD E450/ CHEVY 3500	FORD E450/ CHEVY 3500	FORD E450	FORD E450	FORD E450/ CHEVY 3500	FORD E450	FORD E450
Engine			V8-7.3L/V8-6.6L	V8-7.3L/V8-6.6L	V8-7.3L	V8-7.3L	V8-7.3L/V8-6.6L	V8-7.3L	V8-7.3L
Horse Power			325/401	325/401	325	325	325/401	325	325
Torque			450/464	450/464	450	450	450/464	450	450
Wheel Base		FEATUR	100 / 107		190″	190"	190"/191"	202"	223"
GVWR (lbs.)			assen <b>igle FOSW</b> ive 12.300	17.5(1()		14,500	14,500/ 12.300	14,500	14,500
GCWR (lbs.)			face 221,000@/n C	2()()()()		S, 272,08)	22,000/ 20.000	22,000	22,000
UVW (approx. lbs.)			oof Solar Panel 9,600	w/Dual AGM 10,800	Batteries 11,330	11,725	10,294	11,800	11,680
CCC (approx. lbs.)		Auto Ger	nerator Start 4,900/2,700	3,700/1,500	3,170	2,775	4,206/2,006	2,700	2,820
GAWR Front (lbs.)		.,	r Stabilizer Jack 5,000/4,300	5,000/4,300	5,000	5,000	5,000/4,300	5,000	5,000
GAWR Rear (lbs.)		, , , ,		9,600/8,600	9,600	9,600	9,600/8,600	9,600	9,600
Interior Height			n 12-Volt TV (N/ 6′ 11″ nal Options Av	6′ 11″	6′ 11″	6' 6"	6′ 11″	6′ 11″	6′ 11″
Exterior Width		Additio	8' 4"	8' 4"	8' 4"	8' 4"	8′ 4″	8′ 4″	8′ 4″
Exterior Height (with A/C)			10′ 10″	10′ 10″	10′ 11″	10′ 11″	10′ 11″	10′ 11″	10′ 11″
Ford Exterior Length (with Bumper)			24' 3"/24' 9"	26' 0"/26' 6"	27′ 5″	28′ 6″	29′ 6″/30′ 0″	30′ 5″	32′ 11″
Tow Capacity (lbs.)			7,500	7,500	7,500	7,500	7,500	7,500	7,500
Fuel Capacity (gal.)			55/57	55/57	55	55	55/57	55	55
LP Capacity (lbs.)			68	68	68	68	68	68	68
Fresh Water Capacity (gal.)			41	43	50	49	40	48	50
Water Heater Capacity (gal.)			TANKLESS	TANKLESS	TANKLESS	TANKLESS	TANKLESS	TANKLESS	TANKLESS
Grey Tank Capacity (gal.)			28	31	31	32	31	34	32
Black Tank Capacity (gal.)			31	31	31	32	31	31	29
Exterior Storage (cu. ft.)			38	40	60	60	69	80	100
Awning Length			15′	17'	18′	19′	20′	21′	21′

of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GCWR (Gross Combined Weight Rating) is the maximum permissible

GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight

GCWR (Gross Combined Weight Rating) is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail.

GAWR (Gross Axle Weight Rating) is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axle.

**UVW (Unloaded Vehicle Weight)\*** is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fue, all fluids and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed acceptance.

\*Estimated Average based on standard build optional equipment

CCC (Cargo Carrying Capacity)\*\* is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

\*\* Estimated average based on standard build optional equipment

Each Coachmen motorhome is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Coachmen motorhome prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.



## 423 N. Main Street • P.O. Box 30 Middlebury, IN 46540

To learn more about Coachmen RV and our products and see how Coachmen is making the easy life easier, call us toll free at

(800) 353-7383, or visit www.coachmenrv.com

ESCALADE PACKAGE - OPTIONAL (N/A on Chevy Chassis)

Heated Mirrors, Dual Batteries, 4G/WiFi Booster, Convection Oven, Kitchen Faucet with Spray Head, Child Safety Net in Cabover, Cab Over and Bedroom Power Vent Fan with Maxxair Cover, Upgraded Running Boards, Leatherette Cockpit Seat Covers, Side View Cameras



All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Coachmen reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Coachmen dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision 8/24.



CUSTOMER SATISFACTION

©Copyright 2024 Coachmen RV a Division of Forest River Inc - All Rights Reserved. www.ForestRi

www.ForestRiverBuyLocal.com